

Art Unit: 1612

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dr. Thomas M. Wozny on 10/8/2009.

The application has been amended as follows:

Claim 43 (original)

Please delete "characterized" from line 1 of claim 43 and insert "caused".

Delete "set forth" from last line of claim 43.

Terminal disclaimer on US Patent 7,126,017 has been approved on 10/01/2009.

Examiner thanks Dr. Wozny for his cooperation during the prosecution of this application.

Communication

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sabiha Qazi whose telephone number is (571) 272-0622. The examiner can normally be reached on any business day except Wednesday.

Art Unit: 1612

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Krass Frederick can be reached on (571) 272-0580. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Sabiha Qazi/

Primary Examiner, Art Unit 1612